

# **Dedicated to Revolutionising the Power Chair Experience**









TRU-Balance® 4 Power **Positioning Systems** provide a choice of 10 or 30 degrees of power anterior tilt.

Optional backup camera with 8.9 cm display can be mounted in multiple locations

Optional 10" power adjustable safe seat lift allows driving at speeds up to 5.6 km/h while elevated

> STC (Smart **Traction Control)**



cushion featuring exclusive Coolcore<sup>®</sup> technology

Front and rear LED fender lights for seeing and being seen (standard)



"RIDING IN THE 4FRONT 2 IS UNLIKE ANY CHAIR I HAVE EVER USED. THE 4FRONT 2 PUSHES THE LIMIT SET BY ITS PREDECESSOR

CHRISTIAN BUDNEY

PROUDLY BUILT IN AUSTRALIA

BEYOND MY EXPECTATIONS."

Automotive-grade SRS (Smooth Redesigned caster arms for improved durability Ride Suspension)

LED front and rear fender lights (front: white, rear. red)

# 4FRONT® 2

#### FRONT-WHEEL DRIVE

#### FEATURING STC (SMART TRACTION CONTROL)

The 4Front® 2 is the next generation of the 4Front® Power Chair! New Smart Traction Control (STC), along with Smooth Ride Suspension (SRS), provide stability for smooth obstacle transitions and unmatched driving performance. Additional new features include 4-pole motors and redesigned caster arms for improved durability and aesthetics and reduced weight.

#### **SPECS**

•Maximum Speed: 10 k/h (5.6 km/h when seat is elevated)

·Weight Capacity: 136 kg

• Turning Radius: 65.8 cm

•Power Seat Elevation: Optional 25.4 cm (10") Safe Seat Elevation

#### **COLOURS**



Deep Purple



Midnight Blue



Electric Blue





**Evolution Orange** 

Back in Black






**Red Corvette** 











**QUANTUM** 9
#1 FOR REHAB POWER

# EDGE 3 STRETTO®

#### MID-WHEEL DRIVE

The Edge 3 Stretto<sup>®</sup> is the narrowest, most manoeuvrable complex rehab power base available in Australia! Aside from its narrow width, it is equipped with independent SRS (Smooth Ride Suspension), making it ideal for children, teenagers, and small adults. The Stretto is available with 31.8 cm (12.5") or 35.6 cm (14") drive wheels and optional 30.4 cm (12") of iLevel<sup>®</sup> power adjustable seat height.

#### **SPECS**

•Maximum Speed: 10 km/h (5.6 km/h when elevated with iLevel®)

•Weight Capacity: 136 kg

• Turning Radius: 53.3 cm

•Power Seat Elevation: Optional 30.4 cm (12") iLevel

Red Corvette

#### **COLOURS**



Blue Jean

Green Machine Back in Black





TRU-Balance® 4 Power Positioning Systems provide a choice of 10 or 30 degrees of power anterior tilt

Optional 12" iLevel® power seat elevation allows driving at speeds up to 7.2 km/h while elevated

Featuring Extra Stability Technology® for safer transfers, reach and other activities of daily living



EDGE® 3

#### **MID-WHEEL DRIVE**

The Edge® 3 offers upgraded SRS (Smooth Ride Suspension), which provides a smooth, comfortable ride and advanced stability. Optional iLevel® is available at 7.24 km/h with up to 30.4 cm (12") of power adjustable seat height.

#### **SPECS**

- •Maximum Speed: 10 km/h (7.24 km/h when elevated with iLevel®)
- Weight Capacity: 136 kg (See Q6 Edge® HD for increased capacity)
- Turning Radius: 52 cm
- Power Seat Elevation: Optional 30.4 cm (12") iLevel

#### **COLOURS**









QUANTUM #1 FOR REHAB POWER

# R-TRAK®

#### **REAR-WHEEL DRIVE**

The R-TRAK revolutionizes the real-wheel drive power chair experience. Independent suspension on all four wheels combined with a compact base provide a smoother, more maneuverable driving experience. Standard features include fender lights, USB charger and drive wheel color accents. The R-TRAK is also available with our 25.4 cm (10") safe seat elevation, allowing the client to drive up to 5.6 km/h while elevated.

#### **SPECS**

·Maximum Speed: 10 km/h ·Weight Capacity: 136 kg • Turning Radius: 65 cm

• Power Seat Elevation: Optional 25.4 cm (10") elevation

#### **COLOURS**



Midnight Blue

Deep Purple







Back in Black



Lemon Crush



Red Corvette













Q6 EDGE® 2.0

#### MID-WHEEL DRIVE

#### **SPECS**

•Maximum Speed: 10 km/h (5.6 km/h when elevated)

- •Weight Capacity: 136 kg
- •Turning Radius: 52 cm (with 15.2 cm castors)
- •Power Seat Elevation: Optional 30.4 cm iLevel®

#### **COLOURS**





## Q1450

#### **BARIATRIC FRONT-WHEEL DRIVE**

#### **SPECS**

• Maximum Speed: 7.2 km/h ·Weight Capacity: 272 kg • Turning Radius: 67.3 cm

#### **COLOURS**







#### MID-WHEEL DRIVE

#### **SPECS**

- ·Maximum Speed: 8 km/h
- •Weight Capacity: 204 kg
- Turning Radius: 65.7 cm
- Power Seat Elevation: Optional 25.4 cm

#### **COLOURS**





J623 2.0



#### MID-WHEEL DRIVE

#### **SPECS**

- ·Maximum Speed: 10 km/h •Weight Capacity: 136 kg
- •Turning Radius: 52 cm
- Power Seat Elevation: Optional 25.4 cm

#### **COLOURS**



\* ADDITIONAL J623 2.0 COLOURS INCLUDE: CARBON FIBRE, EMERALD GREEN, ORANGE CRUSH, SILVER BULLET, & YELLOW



Q6 EDGE® Z

MID-WHEEL DRIVE

·Weight Capacity: 160kg

Turning Radius: 50 cm





# **BARIATRIC MID-WHEEL DRIVE**

#### **SPECS**

- •Maximum Speed: 7.5 km/h (5.6 km/h when elevated)
- •Weight Capacity: 204.1 kg (181.4 kg with iLevel®)
- Turning Radius: 50 cm
- •Power Seat Elevation: Optional 25.4 cm iLevel®


#### **COLOURS**











**SPECS** 









• Maximum Speed: 10 km/h (5.6 km/h when elevated)



# TRU-BALANCE® 4

#### POWER POSITIONING SYSTEMS

#### **FEATURES**

- · Anterior tilt options: 10 and 30 degrees
- Up to eight customizable memory seating positions
- Chest bar and knee blocks available (knee blocks and chest support required with 20 or 30 degrees of anterior tilt)
- Available on the Edge 3 Stretto<sup>®</sup>, 4Front<sup>®</sup> 2, and Edge<sup>®</sup> 3
- Optional Accu-Trac Advanced Tracking Technology
- Optional WC19 crash-test approved occupied transit kit option
- Available seat sizes: 16-22" width and 14-22" depth

#### **POWER RECLINE**

85° - 165° of recline

#### POWER POSTERIOR TILT

0° - 50° of tilt

Maintains center of gravity shift

#### **DRIVE SPEEDS IN ANTERIOR TILT**

Up to 10° of anterior tilt, up to full lift:3.2 km/h

10-20° of anterior tilt, up to 15.3 cm (6") of lift: 0.8 km/h

10-20° of anterior tilt, over 15.3 cm (6") of lift: drive lockout

Over 20° of anterior tilt: drive lockout









#1 FOR REHAB POWER

# $iLEVEL^{\tiny{\circledR}}$

#### **POWER SEAT ELEVATION**

Standing Height + Speed + Stability = Authentic iLevel (like no other)

iLevel® power seat elevation technology features a revolutionary new power chair design for a better experience. iLevel improves daily functionality and quality of life by allowing operation of the power chair with the seat elevated while at walking speed.

#### **FEATURES**

- 30.4 cm (12") of power adjustable seat height while at walking speed; maximum of 25.4 cm (10") height on the Q6 Edge<sup>®</sup> HD
- iLevel's patented Extra Stability Technology<sup>®</sup> enhances safety for transfers, reach, and numerous other activities of daily living
- Available on the Edge 3 Stretto<sup>®</sup>, Edge<sup>®</sup> 3, Q6 Edge<sup>®</sup> 2.0, Q6 Edge<sup>®</sup> Z and Q6 Edge<sup>®</sup> HD
- Front and rear LED fender lights come standard with iLevel  $^{\! 8}$





#1 FOR REHAB POWER

# TRU-BALANCE® 3

#### **POWER POSITIONING SYSTEMS**

#### **FEATURES**

- Fine adjustments can be made even while client is in the chair
- Seat width can be ordered independently of the back width at no additional charge
- Power tilt, power recline, and iLevel<sup>®</sup> are retrofittable

#### **POWER RECLINE**

85° - 175° of recline

Available in matching back shroud colours

136 kg weight capacity

Available with power tilt and power adjustable seat lift

#### **POWER TILT**

50° of tilt

Maintains center of gravity shift

Lower seat-to-floor height

Unmatched adjustment and durability

#### **HEAVY DUTY POWER TILT & RECLINE**

204 kg weight capacity

Available in matching back shroud colours

Up to 50° of tilt

85° - 175° of recline





# Synergy® Seating Contoured Seating Contoured Seating Figure 1 FOR REHAB POWER

# **SEATING**

#### **AND POSITIONING**

#### SYNERGY® SEATING

Easily adjustable, this versatile design can grow with the user

Several width/depth adjustment packages ranging from 10" to 32"

Accepts a wide variety of after-market seats and backs

Heavy duty option provides a weight capacity of 272 kg and seating up to 32" x 28" (model specific)



#### **BARIATRIC TILT**

TRU-Balance HD Power Positioning Systems offers increased weight capacities and expanded seating sizes

Configurations with a 204kg weight capacity include HD power tilt and HD power recline

10" power adjustable seat lift is available with a 181kg weight capacity on the Q6 Edge® HD the 4Front® 2 HD.


Bariatric Tilt for configurations up to 272kgs is also available on the Q1450.




















TRU-Comfort 2 SPP	Essence SPP	Solution® SPP	Spectrum® Foam/Gel SPP	Premiere P	Glacial SP	Zen SP	Simplicity G
SKIN PROTECTION AND POSITIONING	SKIN PROTECTION AND POSITIONING	SKIN PROTECTION AND POSITIONING	SKIN PROTECTION AND POSITIONING	POSITIONING	SKIN	SKIN PROTECTION	GENERAL USE
Multi-layered foam  Deep contour, CoolCore® cushion cover has "pockets" on sides	Low profile Tru-Comfort 2, lateral and pre-ischial shelf  Contoured, HD molded foam base, coccyx and sacral relief	Standard viscoelastic foam top with twin cell aqueous viscous gel (heavier gel) insert in ischial well, mid-level contour	SunMate FRG foam top (SunMate FRG XXSoft (blue); Medsoft (green)) with multi- layered foam insert or twin cell ultra-lightweight viscous gel insert in ischial well, sacral relief	Gray X-Soft SunMate FRG foam topper, high density positioning wedges built in for offloading.	New SIM G base, fluid resistant overlay, top and sides TPU heat-sealed, low profile, lightweight cooling gel topper	New SIM G base, SunMate FRG XXSoft (blue topper), low profile, lightweight	High-density foam  Stealth-Tek cover standard  More contour to sacral/coccyx relief well
14-15" W: 79.4 kg 16-21" W: 158.8 kg 22+" W: 204.1 kg	10-15" W: 79.4 kg 16-21" W: 158.8 kg 22" W: 204.1 kg	10-15" W: 79.4 kg 16-20" W: 158.8 kg 22+" W: 226.8 kg	14" W: 79.4 kg Foam & Gel 16-20" W: 158.8 kg Foam & Gel 22+" W: 294.8 kg Foam; Gel	14-15" W: 79.4 kg 16-21" W: 158.8 kg 22" W: 226.8 kg	10-15" W: 79.4 kg 16-21" W: 158.8 kg 22+" W: 181.4 kg	10-15" W: 79.4 kg 16-21" W: 158.8 kg 22+": 181.4 kg	10-15" W: 79.4 kg 16-21" W: 158.8 kg 22+" W: 181.4 kg
1.8 kg	1.6 - 2.3 kg	2.4 kg	Foam: 1.4 kg Gel: 1.6 kg	1.6 kg	1.6 kg	1.1 kg	.9 kg
11.4 cm / 4.5"	8.9 cm / 3.5"	7.6 cm / 3"	7.6 cm / 3"	8.9 cm / 3.5"	6.4 cm / 2.5"	7.6 cm / 3"	5 cm / 2"
14x14" up to 24x24"	10x10" up to 22x24"	10x10" up to 24x24"	Foam: 14x18" up to 32x28" Gel: 14x18" up to 24x26"	14x13" up to 22x22"	10x10" up to 24x24" Odd sizes in 15-21" W	10x10" up to 24x24" Odd sizes in 15-21" W	10x10" up to 24x24" Odd sizes in 15-21" W
	Multi-layered foam  Deep contour, CoolCore® cushion cover has "pockets" on sides  14-15" W: 79.4 kg 16-21" W: 158.8 kg 22+" W: 204.1 kg  1.8 kg  11.4 cm / 4.5"	Multi-layered foam Deep contour, CoolCore® cushion cover has "pockets" on sides  Low profile Tru-Comfort 2, lateral and pre-ischial shelf  Contoured, HD molded foam base, coccyx and sacral relief  14-15" W: 79.4 kg 16-21" W: 158.8 kg 22+" W: 204.1 kg  1.8 kg  1.6 - 2.3 kg  11.4 cm / 4.5"  8.9 cm / 3.5"	Multi-layered foam Deep contour, CoolCore® cushion cover has "pockets" on sides  Low profile Tru-Comfort 2, lateral and pre-ischial shelf  Contoured, HD molded foam base, coccyx and sacral relief  14-15" W: 79.4 kg 16-21" W: 158.8 kg 22+" W: 204.1 kg  1.8 kg  1.6 - 2.3 kg  1.4 cm / 4.5"  Standard viscoelastic foam top with twin cell aqueous viscous gel (heavier gel) insert in ischial well, mid-level contour  10-15" W: 79.4 kg 16-21" W: 158.8 kg 22+" W: 204.1 kg  2.4 kg  1.8 kg  1.6 - 2.3 kg  7.6 cm / 3"	Multi-layered foam Deep contour, CoolCore® cushion cover has "pockets" on sides  Low profile Tru-Comfort 2, lateral and pre-ischial shelf Contoured, HD molded foam base, coccyx and sacral relief  14-15" W: 79.4 kg 16-21" W: 158.8 kg 22+" W: 204.1 kg  1.6 - 2.3 kg  1.6 - 2.3 kg  1.6 - 2.3 kg  1.6 - 2.3 kg  1.7 - 6 cm / 3"  14x14" up to 24x24"  Multi-layered foam Low profile Tru-Comfort 2, lateral and pre-ischial shelf Contoured, HD molded foam base, coccyx and sacral relief  Standard viscoelastic foam top with twin cell aqueous viscous gel (heavier gel) insert in ischial well, mid-level contour  SunMate FRG foam top (SunMate FRG fo	Multi-layered foam Deep contour, CoolCore* cushion cover has "pockets" on sides  14-15" W: 79.4 kg 16-21" W: 158.8 kg 22+" W: 204.1 kg 22+" W: 204.1 kg 1.8 kg 1.6 - 2.3 kg 1.8 kg 1.6 - 2.3 kg 1.8 kg 1.4 cm / 4.5"  8.9 cm / 3.5"  10x10" up to 24x24"  10x10" up to 22x22"  10x10" up to 24x24"  10x10" up to 22x22"  10x10" up to 24x24"  10x10" up to 22x22"	Multi-layered foam Deep contour, CoolCore* cushion cover has "pockets" on sides  14-15" W: 79.4 kg 16-21" W: 158.8 kg 22+" W: 204.1 kg 22+" W: 204.1 kg 1.8 kg 1.6 - 2.3 kg 1.6 - 2.3 kg 1.4 cm / 4.5"  14x14" up to 24x24"  10x10" up to 22x24"  10x10" up to 22x24"  10x10" up to 24x24"  10x10" up to 24x24"	Multi-layered foam Low profile Tru-Comfort 2, lateral and pre-ischial shelf Contoured, HD molded foam base, coccyx and sacral relief  14-15" W: 79.4 kg 16-21" W: 158.8 kg 22*" W: 204.1 kg  1-1.8 kg  1.6 -2.3 kg  1.0 -15" W: 79.4 kg 1.4 kg 1.4 cm / 4.5"  8.9 cm / 3.5"  7.6 cm / 3"  10x10" up to 24x24"  10x10" up t

1) CoolCore® is standard on all cushions except the Simplicity G.

## ADI Q-Back 2.0

The ADI Q-Back 2.0 from Stealth Products® is available on TRU-Balance® 3 Seating Systems and is offered in three configurations:

- Active Contour ADI Q-Back 2.0
- Deep Contour ADI Q-Back 2.0
- Extra Deep Contour ADI Q-Back 2.0
- Coolcore<sup>®</sup> cover comes standard

Sizes for static/power tilt/power recline seating:

- Support heights: 13", 16", 18", 20", 22"
- Widths: 14", 15", 16", 17", 18", 19", 20", 22"
- · Additional back sizes are available with special order

3" OF BACK SUPPORT HEIGHT ADJUSTMENT BUILT INTO THE TRU-BALANCE® 3 BACK SPINE.

# **TRU-Comfort 2 Back**

- Adjustable positioning and pressure management
- Compatible with both TRU-Balance<sup>®</sup>3 Positioning Systems and the frame system
- Four-way stretch, recovery, fluid-resistant, breathable



# **UniLinkTM Hardware System**

- New system from Stealth Products<sup>®</sup> for mounting thigh guides and elbow blocks onto the TRU-Balance® 3 Seating System
- Elbow blocks in 3"x10", 3"x3", and 4"x4" pad sizes are made with patented Coolcore® technology cover material
- Thigh guides are available in 4"x4", 4"x6", 4"x8", 4"x10", and 4"x12" pad sizes

#### THIGH GUIDE OPTIONS







"MY EDGE GIVES ME THE OPPORTUNITY TO USE ADVANCED TECHNOLOGY THAT GIVES ME SO MUCH INDEPENDENCE."

Q-Logic 3 Specialty Controls

Interface Module

ZOE HERNANDEZ



Q-LOGIC 3

#### ADVANCED DRIVE CONTROLS

The Q-Logic 3 Advanced Drive Controls System from Quantum Rehab<sup>®</sup> is like no other power wheelchair electronics system. Designed from clinician and consumer feedback, Q-Logic 3 is userfriendly and highly customisable.

#### **FEATURES**

- Wireless Bluetooth® programming through Windows devices
- Bluetooth access to computer, tablet, and phone functions
- iAccess programmable push button and toggle options for customised seating access

#### Clinic Mode:

- Quickly set up multiple input devices in client evaluations
- · Automatically assigned drive modes to input devices







Q-Logic 3 drive screen

#### **ENHANCED DISPLAY**

The optional Q-Logic 3 EX Enhanced Display serves as a separate screen used with specialty drive controls to display system data. With the Enhanced Display's built-in environmental controls, Q-Logic 3 can operate a wide range of appliances that use infrared (IR) remote controls, such as televisions, and serves as a Bluetooth® computer mouse emulator.





Q-Logic 3 Stand

Alone Joystick

Q-Logic 3 iAccess

**QUANTUM**#1 FOR REHAB POWER

**Programmable Switchbox** 

#### **VR2 6 KEY JOYSTICK**

#### **JOYSTICK OPTIONS**

#### SIP-N-PUFF

#### **MULTI-SWITCH**

# **ACCESSORIES**











Stealth® i-Drive® 4 Stealth Pro, 3-Switch Head Array



Stealth® i-Drive® Tri-Array, 3-Switch Head Array



Stealth® i-Drive® Curved Array

#### Q-LOGIC 3



Q-Logic 3 EX Joystick



Q-Logic 3e Joystick



Q-Logic 3 EX Enhanced Display



Q-Logic 3 Stand Alone Joystick



Q-Logic 3 iAccess Programmable Switchbox



Q-Logic 3 Specialty Interface Module

#### SINGLE SWITCH



Stealth® Egg Switch



Mo-Vis™ Twister Basic Button



Mo-Vis™ Twister Satellite Button

#### TRAY ARRAYS



Stealth® i-Drive® Eclipse Tray with Four Capacitive Proximity Sensors



Stealth<sup>®</sup> i-Drive<sup>®</sup> Eclipse Tray with Four Fiber Optic Proximity Sensors

#### PROPORTIONAL DRIVE CONTROLS



Mo-Vis™ All-Round Joystick



Stealth® Precision Mini Proportional Joystick



Mo-Vis™ All-Round Light Joystick



Stealth® Mushroom Joystick



Mo-Vis™ Multi Joystick



Mo-Vis™ Micro Joystick



Stealth® i-Drive® Control Harness

#### MISC. ACCESSORIES



Front and Rear LED Fender Lights



Personal Item Hook



Hydration System



Phone Holder



Transfer Bars (Pair)



Reversing Camera



Quantum® Backpack



Glove Box

COLOUR GUIDE	STRETTO®	EDGE 3	Q6 EDGE® 2.0	4FRONT® 2	Q6 EDGE® Z	Q6 EDGE <sup>®</sup> HD	Q1450	J623 2.0*	R-TRAK®
Deep Purple	•	•	•	•	•	•			•
Sugar Plum								•	
Midnight Blue		•	•	•	•	•			•
Blue Jean	•	•							
Electric Blue			•	•	•	•	•	•	•
Military Green		•							
Night Train		•	•	•					
Back in Black	•	•	•	•	•	•	•	•	•
Grey Street			•						
White Satin			•						
Green Machine	•	•	•		•	•			•
Lemon Crush		•	•						•
Evolution Orange		•	•	•					•
Red Corvette	•	•	•	•	•	•	•	•	•
Cherry Bomb		•							
Rasberry Beret	•	•							
Pretty in Pink			•					•	•
Lime Light				•				•	





Available with 12" iLevel Available with 12" iLevel











						•			
#1 FOR REHAB POWER	EDGE 3 STRETTO®	EDGE <sup>®</sup> 3	Q6 EDGE <sup>®</sup> 2.0	4 FRONT® 2	4 FRONT® 2 HD	Q6 EDGE® Z	Q6 EDGE	E® HD <sup>15</sup>	
DRIVE CONFIGURATION	Mid-Wheel Drive	Mid-Wheel Drive	Mid-Wheel Drive	Front-Wheel Drive	Front-Wheel Drive	Mid-Wheel Drive	Mid-Wheel Drive		
DRIVE WHEELS	35.5 cm (14") or 31.7 cm (12.5") Pneumatic or Flat Free Tyres	35.5 cm (14") Pneumatic or Flat Free Tyres 14x4" wide Flate Free Tyres <sup>2</sup>	35.5 cm (14") Pneumatic or Flat Free Tyres 14x4" wide Flate Free Tyres <sup>2</sup>	35.5 cm (14") Pneumatic or Flat Free Tyres 14x4" wide Flate Free Tyres <sup>2</sup>	35.5 cm (14") Pneumatic or Flat Free Tyres 14x4" wide Flate Free Tyres <sup>2</sup>	35.5 cm (14") Pneumatic or Flat Free Tyres 14x4" wide Flate Free Tyres <sup>2</sup>	35.5 cm (14") Pneumatic or Flat Free Tyres 14x4" wide Flate Free Tyres <sup>2</sup>		
CASTOR WHEELS	Front: 12.7 cm (5") or 15.2 cm (6") Solid Rear: 15.2 cm (6") Solid	Front: 15.2 cm (6") Solid Rear: 15.2 cm (6") Solid	Front: 15.2 cm (6") Solid <sup>1</sup> 20.3 cm (8") Solid <sup>2</sup> Rear: 15.2 cm (6") Solid <sup>1</sup> 20.3 cm (8") Solid <sup>2</sup>	Rear: 22.8 cm (9") Solid	Rear: 22.8 cm (9") Solid	Front: 15.2 cm (6") Solid Rear: 15.2 cm (6") Solid	Front: 15.2 cm (6") Solid Rear: 15.2 cm (6") Solid		
ANTI-TIP WHEELS	N/A	N/A	N/A	Front: 10 cm (4") Solid	Front: 10.1 cm (4") S	N/A	N/A		
MAXIMUM SPEED <sup>3</sup>	Up to 10 km/h (5.6 km/h w/ iLevel) <sup>10</sup>	Up to 10 km/h (7.2 km/h with iLevel	Up to 10 km/h (5.6 km/h w/ iLevel) <sup>10</sup>	Up to 10 km/h (5.6 km/h w/ elevation)	Up to 8 km/h (4.3 km/h w/ elevation)	Up to 10 km/h (5.6 km/h w/ iLevel)	Up to 7.6 km/h (5.6 km/h w/ iLevel)		
GROUND CLEARANCE	7.3 cm (2.9")	6.8 cm (2.7") (battery tray)	6.8 cm (2.7") (battery tray)	7.6 cm (3") (battery tray)	7.6 cm (3") (battery tray)	7.6 cm (3") (frame base)	7.6 cm (3") (fr	7.6 cm (3") (frame centre)	
TURNING RADIUS <sup>4</sup>	53.3 cm (21")	52 cm (20.5")	52 cm (20.5") w/ 15.2 cm (6") castors 59 cm (23.2") w/ 20.3 cm (8") castors	65.7 cm (25.9")	65.7 cm (25.9")	50 cm (19.7")	50 cm (19.7")		
OVERALL LENGTH <sup>8</sup>	82.5 cm (32.5")	90 cm (35.5") without foot riggings	90 cm (35.5") w/ 15.2 cm (6") castors 102.6 cm (40.4") w/ 20.3 cm (8") castors	101 cm (39.9")	101 cm (39.9")	90.4 cm (35.6") 90.4 cm (		(35.6")	
BASE WIDTH	54.6 cm (21.5") (35.5 cm (14") drive wheels) 51.9 cm (20.47") (31.5 cm (12.5") drive wheels)	61.9 cm (24.4")	61.9 cm (24.4")	60.9 cm (24")	60.9 cm (24")	66.5 cm (26.2")	66.5 cm	(26.2")	
SEAT SIZES	TRU-Balance <sup>®</sup> 3 and 4	TRU-Balance <sup>®</sup> 3 and 4	TRU-Balance® 3	TRU-Balance <sup>®</sup> 3 and 4	TRU-Balance®3	TRU-Balance <sup>®</sup> 3	TB2 HD	TB3 HD	
TRU-BALANCE® 4	W: 16-22" D: 14-22"	W: 16-22" D: 14-22"	N/A	W: 16-22" D: 14-22"	N/A	N/A	N/A	N/A	
TRU-BALANCE 3 <sup>®</sup> STATIC	W: 12-20" D: 12-20"	W: 12-22" D: 10-22"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	HD W: 20-24" D: 20-24"	W: 12-24" D: 12-24"	W: 16-28" D: 20-28"	W: 16-32" D: 20-28"	
TRU-BALANCE® 3 POWER TILT	W: 12-20" D: 12-20"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	HD W: 20-24" D: 20-24"	W: 12-24" D: 14-24"	W: 16-28" D: 20-28"	W: 16-28" D: 20-25"	
TRU-BALANCE® 3 LIFT & TILT	W: 12-20" D: 12-20"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	HD W: 20-24" D: 20-24"	W: 12-24" D: 10-24"	N/A	<b>W</b> : 16-24" <b>D</b> : 20-25"	
SEAT-TO-FLOOR HEIGHTS <sup>13,14</sup>	TRU-Balance® 3 and 4	TRU-Balance® 3 and 4	TRU-Balance® 3	TRU-Balance® 3 and 4	TRU-Balance®3	TRU-Balance® 3	TB2 HD	TB3 HD	
TRU-BALANCE® 4	17.5-19.5"	17.5-19.5"	17.5-19.5"	17.75-19.75"	N/A	18-20"	N/A	17.7-19.7"	
SYNERGY / STATIC	16-18"	16.5-18.5"	16.5-18.5"	15.2 -17.2"	15-17"	15-17" 16.5-18.5"		17.5-19.5"	
TRU-BALANCE® 3 POWER TILT <sup>7</sup>	17.5-19.5"	17.5-19.5"	17.5-19.5"	17.75-19.75"	17.75-19.75"	17.5-19.5"	18.2-20.9"	18.5-20.5"	
TRU-BALANCE® 3 LIFT & TILT <sup>7</sup>	17.5-19.5"	17.5-19.5"	17.5-19.5"	17.75-19.75"	17.75-19.75"	18-20"	N/A	17.7-19.7"	
BATTERY SIZE <sup>5</sup>	MK 48Ah(2)	MK 50Ah(2)	MK 50Ah(2)	MK 70Ah(2)	MK 70Ah(2)	MK 70Ah(2)	MK 70	Ah(2)	
BATTERY WEIGHT <sup>11</sup>	17 kg each	17.2 kg each	17.2 kg each	23.3 kg each	23.3 kg each	23.5 kg each	23.5 kg each		
AVAILABLE ELECTRONICS9	120A Q-Logic 3	120A Q-Logic 3	120A Q-Logic 3	120A Q-Logic 3	120A Q-Logic 3	120A Q-Logic 3	120A Q-Logic 3		
BATTERY CHARGER	8A Off-Board	8A Off-Board	8A Off-Board	8A Off-Board	8A Off-Board	8A Off-Board	8A Off-Board		
MOTOR PACKAGES	2-Pole	2-Pole or 4-Pole	2-Pole	4-Pole	4-Pole	4-Pole	4-Po	ole <sup>1</sup>	
WEIGHT CAPACITY <sup>6</sup>	136 kg	136 kg	136 kg	136 kg	204 kg	160 kg	204.1	kg <sup>12</sup>	
BASE WEIGHT	57.3 kg	62.8 kg	62.8 kg w/ 15.2 cm (6") castors 67.1 kg w/ 20.3 cm (8") castors	58.9 k	58.9 kg	65 kg	65	kg	



No Elevation






Available with 10" Elevation



#1 FUR REHAB PUWER	QUANTUM® 1450	J623 2.0	R-TRAK		
DRIVE CONFIGURATION	Front-Wheel Drive	Mid-Wheel Drive	Rear-Wheel Drive		
DRIVE WHEELS	35.5 x 10 cm (14x4" wide) Flat Free Tyres	35.5 cm (14") Pneumatic or Flat Free Tyres 14x4" wide Flate Free Tyres <sup>2</sup>	35.6 cm (14") Pneumatic or Solid Tyres 14x4" wide Flate Free Tyres <sup>2</sup>		
CASTOR WHEELS	22.8 cm (9") Solid	Front: 15.2 cm (6") Solid <sup>1</sup> 20.3 cm (8") Solid <sup>2</sup> Rear. 15.2 cm (6") Solid <sup>1</sup> 20.3 cm (8") Solid <sup>2</sup>	Front: 22.9 cm (9") Solid or Pneumatic		
ANTI-TIP WHEELS	Front: 7.5 cm (3") Solid	N/A	Rear: 10 cm (4") Solid		
MAXIMUM SPEED <sup>3</sup>	Up to 7.2 km/h	Up to 10 km/h (2.5 km/h w/ elevation)	Up to 10 km/h (5.6 km/h w/ elevation)		
GROUND CLEARANCE	5 cm (2") (anti-tips)	6.9 cm (2.7") (battery tray)	10 cm (3.97") (battery tray)		
TURNING RADIUS <sup>4</sup>	67.3 cm (26.5")	52 cm (20.5")	65.3 cm (25.7")		
OVERALL LENGTH <sup>8</sup>	97 cm (38.2")	90 cm (35.5") without foot riggings	88.3 cm (34.8")		
BASE WIDTH	74 cm (29.2")	61.9 cm (24.4")	61.4 cm (24.2")		
SEAT SIZES	TRU-Balance® 2 HD Tilt	TRU-Balance® 3	TRU-Balance <sup>®</sup> 3		
TRU-BALANCE® 4	N/A	N/A	N/A		
TRU-BALANCE 3 <sup>®</sup> STATIC	W: 20-32" D: 20-28"	W: 12- 22" D: 12-22"	W: 12- 22" D: 12-22"		
TRU-BALANCE® 3 POWER TILT	W: 20-32" D: 20-28"	W: 12- 22" D: 12-22"	W: 12- 22" D: 12-22"		
TRU-BALANCE® 3 LIFT & TILT	N/A	N/A	W: 12- 22" D: 12-22"		
SEAT-TO-FLOOR HEIGHTS <sup>13,14</sup>	TRU-Balance® 2 HD Tilt	TRU-Balance <sup>®</sup> 3	TRU-Balance <sup>®</sup> 3		
TRU-BALANCE® 4	N/A	17.5-19.5"	17.2-19.2"		
SYNERGY / STATIC	16.5-18.5"	16.5-18.5"	16-18"		
TRU-BALANCE® 3 POWER TILT <sup>7</sup>	18-20"	17.5-19.5"	17.2-19.2"		
TRU-BALANCE® 3 LIFT & TILT7	N/A	17.5-19.5"	17.2-19.2"		
BATTERY SIZE <sup>5</sup>	MK 70Ah(2)	MK 50Ah(2)	MK 70Ah(2)		
BATTERY WEIGHT <sup>11</sup>			23.3 kg each		
AVAILABLE ELECTRONICS9	90A VR2 6-Key 120A Q-Logic 3	90A VR2 6-Key	120A Q-Logic 3		
BATTERY CHARGER	8A Off-Board	8A Off-Board	8A Off-Board		
MOTOR PACKAGES	4-Pole	2-Pole	4-Pole		
WEIGHT CAPACITY <sup>6</sup>	272 kg	136 kg	136 kg		
BASE WEIGHT	88.4 kg	62.8 kg	58 kg		




## SERVICE AND SUPPORT





#### SOCIAL MEDIA

Stay up to date on the latest Quantum® events and product releases through Twitter, Facebook, YouTube, and Instagram.



#### QUANTUMREHAB.COM

Quantum's official website is the ultimate source for everything you need to know about Quantum<sup>®</sup> products. Highlights include detailed product specifications, order forms, videos, user testimonials, and much more.


#### LIFE.QUANTUMREHAB.COM

Your one-stop resource for articles and info on Quantum's<sup>®</sup> life-changing power wheelchairs and complex rehab technologies.



#### Q3DC.QUANTUMREHAB.COM (ECON-W)

Quantum Rehab's<sup>®</sup> login page for the Q-Logic 3 cloud-based wireless programming. Q-Logic 3 is our newest generation of electronics available with improved features and benefits inspired by consumer, provider and therapist feedback.



#### INTERACTIVE ASSIST

Q-Logic 3 now features Interactive Assist. Interactive Assist from Quantum Rehab<sup>®</sup> is an app which provides a direct real-time connection from a power chair's electronics to a provider's programming station. The connection provides the technician with full system and diagnostics information along with tools, such as a real-time mirror image of the power chair's electronics display, to eliminate wasteful trips.

- Change Log History
- · Saving XPA Files
- · Motor Usage History
- Text Chatting
- · Programming IR Menu
- Access to Bluetooth Features
- Dealer-to-Dealer Programming Access

- Screen Mirroring
- Real-time Monitoring
- Efficiency Improvements
- Troubleshooting
- Battery Management
- · Diagnostic History
- · Basic ProgramminG
- Remote Access






**Download Interactive Assist today!** 

#### ECON - I

The Econ-I app is now available for download on Apple® iPhone® devices, allowing you to program Quantum® Power Chairs conveniently from your iPhone or iPad. Compatible devices include the iPhone 6S/6s Plus/SE or higher, and the iPad Air/iPad Mini 2/iPad Pro/iPad 5th generation or higher. All devices must support iOs version 12 or higher.



Download ECON - I today!





## PQ365 APP

#### ALL QUANTUM® PRODUCT INFORMATION IN ONE APP!

Designed for providers, the free, easy-to-use app helps busy professionals stay up to date with the latest information and allows access all relevant content in one quick and convenient place.

The app has many cool features, including, serial and order number search, order delivery status, invoice number look-up, a voice search function, an image share option, technical support, marketing material and educational resources. Additional features include a quick-search option, 360-degree product views, push notifications, news, events, specifications sheets, brochures, owner's manuals, basic operating instructions and more.



Download PQ365 today!







# STEALTH RESOURCES

#### STEALTHPRODUCTS.COM



Stealth Products® offers a range of versatile products, including head and body support/positioning, joystick mounts, trays, seating, cushions, and paediatric mobility products.



#### CUSHIONS.STEALTHPRODUCTS.COM/

Learn about our Stealth Products range of cushions featuring our exclusive Coolcore® Technology.



Scan here to access the Stealth Cushions Catalogue



#### ADI.STEALTHPRODUCTS.COM/

Learn about our Stealth Products range of ergonomically designed ADI® back supports and seating systems.



Scan here to access the ADI Catalogue



#### UNILINK.COM

Learn about our Stealth Products UniLink range of strong, unique, and simplified components.



Scan here to access the UniLink Catalogue



#### **HEADSOLUTIONS.COM**

Learn about our Stealth Products Head Solutions range of versatile, high quality head and neck positioning systems and mount options.



Scan here to access the Head Solutions Catalogue



Telephone: (03) 8770 9600





#1 FOR REHAB POWER